FATIGUE & FRACTURE of ENGINEERING MATERIALS & STRUCTURES

The International Journal

& the official journal of the European Group on Fracture

Editors-in-Chief: K. J. Miller & L. H. Larsson

Volume Contents and Author Index to Volume 10, 1987

Pergamon Press: Oxford · New York · Beijing · Frankfurt
São Paulo · Sydney · Tokyo · Toronto

FATIGUE & FRACTURE OF ENGINEERING MATERIALS & STRUCTURES

The International Journal

EDITORS

K. J. MILLER, Department of Mechanical Engineering, University of Sheffield, Mappin Street, Sheffield S1 3JD, U.K.

L. H. LARSSON, Joint Research Centre, Applied Mechanics Division, ISPRA Establishment, 21020 Ispra, Italy

BOARD OF DIRECTORS OF FATIGUE OF ENGINEERING MATERIALS LTD

B. A. Bilby
M. W. Brown (*Secretary*)
D. S. Dugdale
G. W. Greenwood
C. Laird
L. H. Larsson
K. J. Miller (*Chairman*)
A. Pineau
B. Tomkins

EDITORIAL BOARD

A. S. Argon, Massachusetts Institute of Technology, Cambridge, MA
M. F. Ashby, University of Cambridge, U.K.
G. I. Barenblatt, Moscow, U.S.S.R.
J. M. Barsom, USS, Pittsburgh, PA
C. J. Beevers, University of Birmingham, U.K.
B. A. Bilby, University of Sheffield, U.K.
C. R. Brinkman, Oak Ridge National Laboratory, TN
L. M. Brown, University of Cambridge, U.K.
M. W. Brown, University of Sheffield, U.K.
J. Carlsson, Royal Institute of Technology, Stockholm, Sweden
Z. M. Cheng, Chinese Academy of Sciences, Beijing, China
B. J. Darlaston, Central Electricity Generating Board, Berkeley, U.K.
N. E. Dowling, Virginia Polytechnic Institute, VA
D. S. Dugdale, University of Sheffield, U.K.
E. G. Ellison, University of Bristol, U.K.
J. M. Finney, Aeronautical Research Laboratories, Melbourne, Australia
D. Francois, Ecole Centrale des Arts et Manufactures, France
G. W. Greenwood, University of Sheffield, U.K.
H. Kitagawa, University of Tokyo, Japan
J. F. Knott, University of Cambridge, U.K.
T. Kunio, Keio University, Yokohama, Japan
C. Laird, University of Pennsylvania, Philadelphia, PA
R. W. Landgraf, Ford Motor Company, Dearborn, MI
J. Lankford, Southwest Research Institute, San Antonio, TX
I. LeMay, Metallurgical Consulting Services Ltd, Saskatoon, Canada
Hao Lee, Huazhong University of Science and Technology, Wuhan, China
T. C. Lindley, Central Electricity Generating Board, Leatherhead, U.K.
H. W. Liu, Syracuse University, NY
E. Macherauch, University of Karlsruhe, West Germany
A. J. McEvily, University of Connecticut, Storrs, CT
S. S. Manson, Case Western Reserve University, Cleveland, OH
D. F. Mowbray, General Electric Co., Schenectady, NY
J. Němec, Prague, Czechoslovakia
J. C. Newman, National Aeronautics and Space Administration, Hampton, VA
H. Nowack, Deutsche Forschungs und Versuchsanstalt, Cologne
K. Ohji, Osaka University, Japan
V. V. Panasyuk, Institute for Physics and Mechanics, Lvov, U.S.S.R.
R. N. Parkins, Newcastle University, Newcastle-upon-Tyne, U.K.
R. M. Pelloux, Massachusetts Institute of Technology, Cambridge, MA
A. Pineau, Ecole Nationale Supérieure des Mines de Paris, Evry, Cedex, France
G. S. Pisarenko, Institute for Problems of Strength, Kiev, U.S.S.R.
W. J. Plumbridge, University of Wollongong, Australia
R. O. Ritchie, University of California, Berkeley, CA
J. Schijve, Delft University of Technology, The Netherlands
K. H. Schwalbe, GKSS-Forschungszemtrum, West Germany
R. A. Smith, University of Cambridge, U.K.
D. Socie, University of Illinois, IL
M. O. Speidel, Brown, Boveri & Co. Ltd, Baden, Switzerland
P. Stanley, University of Manchester, U.K.
G. Sumner, United Kingdom Atomic Energy Authority, Preston, U.K.
D. M. R. Taplin, Trinity College, Dublin, Ireland
B. Tomkins, United Kingdom Atomic Energy Authority, Preston, U.K.
V. T. Troshchenko, Institute for Problems of Strength, Kiev, U.S.S.R.
P. Watson, G.K.N. Group Technological Centre, Wolverhampton, U.K.
A. A. Wells, The Welding Institute, Cambridge, U.K.
T. Yokobori, Tohoku University, Sendai, Japan

Published 6 issues/annum

Publishing Office: Journals Production Unit, Pergamon Journals Ltd, Hennock Road, Marsh Barton, Exeter, Devon EX2 8NE, England (*Tel.* Exeter (0392) 51558: *Telex* 42749).

Subscription and Advertising Offices: *North America*: Pergamon Journals Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., *Rest of the World*: Pergamon Journals Ltd, Headington Hill Hall, Oxford OX3 0BW, England (*Tel.* Oxford (0865) 64881).

Subscription Rates: Annual institutional rate (1988) DM 560.00; 2-year institutional rate (1988/89) DM 1064.00; personal subscription rate for those whose library subscribes at the regular rate (1988) DM 171.00. Prices are subject to amendment without notice.

Microform Subscriptions and Back Issues: Back issues of all previously published volumes are available in the regular editions and on microfilm and microfiche. Current subscriptions are available on microfiche simultaneously with the paper edition and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1987 Fatigue of Engineering Materials Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to Fatigue of Engineering Materials Ltd if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A.: The Item-fee-Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying, beyond that permitted by Section 107 or 108 of the US Copyright Law, is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use: The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 8756–758X/87 $3.00 + 0.00

CONTENTS

Number 1

D. F. Socie, C. T. Hua and D. W. Worthem	1	Mixed mode small crack growth
Yves Verreman, Jean-Paul Baïlon and Jacques Masounave	17	Fatigue life prediction of welded joints—a re-assessment
Gianni Nicoletto	37	Fatigue crack tip strains in 7075-T6 aluminum alloy
Yang-xian Qi and Wei-xun Fan	51	Combined mode fracture of a ductile material under plane stress conditions
N. J. Marchand, R. M. Pelloux and B. Ilschner	59	Non-isothermal fatigue crack growth in Hastelloy-X
K. J. Miller	75	The behaviour of short fatigue cracks and their initiation. Part I—a review of two recent books
	I	Information on Conferences/Seminars
	III	Software Survey Section

Number 2

K. J. Miller	93	The behaviour of short fatigue cracks and their initiation. Part II—a general summary
R. A. Ainsworth, G. G. Chell, M. C. Coleman, I. W. Goodall, D. J. Gooch, J. R. Haigh, S. T. Kimmins and G. J. Neate	115	CEGB assessment procedure for defects in plant operating in the creep range
R. A. Ainsworth and M. C. Coleman	129	Example of an application of an assessment procedure for defects in plant operating in the creep range
A. Diboine and A. Pineau	141	Creep crack initiation and growth in Inconel 718 alloy at 650°C

E. de Langre and L. Ebersolt 153 The use of a new line-spring shell element for elastic surface crack analysis

A. Navarro and E. R. de los Rios 169 A model for short fatigue crack propagation with an interpretation of the short–long crack transition

I Information on Conferences/Seminars

III Software Survey Section

Number 3

J. R. Yates and M. W. Brown 187 Prediction of the length of non-propagating fatigue cracks

O. N. Romaniv, A. N. Tkach and Yu. N. Lenets 203 Effect of fatigue crack closure on near-threshold crack resistance of structural steels

R. C. Rice and R. Rungta 213 Fatigue analysis of a rail subjected to controlled service conditions

A. J. Krasowsky, I. V. Kramarenko and V. V. Kalaida 223 Fracture toughness of nodular graphite cast irons under static, impact and cyclic loading

S. K. Ray, R. Perez and A. F. Grandt Jr 239 Fatigue crack closure of corner cracks located at holes loaded in tension or bending

G. Lindgren and I. Rychlik 251 Rain flow cycle distributions for fatigue life prediction under Gaussian load processes

I Announcement

III Information on Conferences/Seminars

V Software Survey Section

IX New Patents Section

Number 4

Y. Mutoh, G. H. Fair, B. Noble and R. B. Waterhouse	261	The effect of residual stresses induced by shot-peening on fatigue crack propagation in two high strength aluminium alloys
Takeshi Ogawa and Hideo Kobayashi	273	Near-threshold fatigue crack growth and crack closure in a nodular cast iron
Keiro Tokaji, Takeshi Ogawa and Yukio Harada	281	Evaluation on limitation of linear elastic fracture mechanics for small fatigue crack growth
P. Smith	291	The effects of moisture on the fatigue crack growth behaviour of a low alloy steel near threshold
D. E. Castro, G. Marci and D. Munz	305	A generalized concept of a fatigue threshold
S. Zhang, R. Marissen, K. Schulte, K. K. Trautmann, H. Nowack and J. Schijve	315	Crack propagation studies on Al 7475 on the basis of constant amplitude and selective variable amplitude loading histories
R. S. Vecchio, J. S. Crompton and R. W. Hertzberg	333	The influence of specimen geometry on near threshold fatigue crack growth
	I	Announcement
	III	Information of Conferences/Seminars
	V	Software Survey Section
	IX	New Patents Section

Number 5

R. O. Ritchie, W. Yu, A. F. Blom and D. K. Holm	343	An analysis of crack tip shielding in aluminum alloy 2124: a comparison of large, small, through-thickness and surface fatigue cracks
Y. Oshida and A. Deguchi	363	Martensite formation and the related toughness in 304 stainless steel during low temperature fatigue

G. Gabetta	373	The effect of frequency in environmental fatigue tests
W. J. Plumbridge	385	Damage production during high temperature–low cycle fatigue of a titanium alloy (IMI 829)
T. Guennouni and D. Francois	399	Constitutive equations for rigid plastic or viscoplastic materials containing voids
B. N. Cox and W. L. Morris	419	A probabilistic model of short fatigue crack growth
	I	Information on Conferences/Seminars
	III	Software Survey Section

Number 6

B. N. Cox and W. L. Morris	429	Model-based statistical analysis of short fatigue crack growth in Ti 6Al–2Sn–4Zr–6Mo
H. Ono and T. Tsunenari	447	A fatigue crack propagation model for application to service loads
R. Murakami, S. Noguchi, K. Akizono and W. G. Ferguson	461	Fatigue crack propagation and crack closure behavior in polycarbonate and fibre reinforced polycarbonate
J. R. Yates	471	Crack tip plastic zone sizes in cylindrical bars subjected to torsion
J. D. G. Sumpter	479	J_c determination for shallow notch welded bend specimens
P. W. Beaver, M. Heller and T. V. Rose	495	Determinations of J_{IC} for 2024-T351 aluminium alloy
	I	Information on Conference/Seminars
	III	Software Survey Section
	VII	New Patents Section